

753-54_PCT-US_Sequence_Listing_ST25.txt

<110> Zumbrunn, Jurg
 Lociuero, Sergio
 Gombert, Frank
 Moehle, Kerstin
 DeMarco, Steven J.
 Vrijbloed, Jan Wim
 Mukherjee, Reshmi
 Obrecht, Daniel
 Romagnoli, Barbara
 Robinson, John Anthony

 <120> Template-Fixed Peptidomimetics as Medicaments against HIV and
 Cancer

 <130> 753-54 PCT/US

 <140> 10/550,778
 <141> 2005-09-27

 <150> PCT/EP2003/04641
 <151> 2003-05-02

 <160> 25

 <170> PatentIn version 3.4

 <210> 1
 <211> 12
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Template-fixed peptidomimetic

 <220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa = 2-Nal

 <220>
 <221> DISULFID
 <222> (4)..(11)

 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa = D-Lys

 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa = Cit

 <220>
 <221> MOD_RES
 <222> (12)..(12)
 <223> AMIDATION

 <400> 1

753-54_PCT-US_Sequence_Listing_ST25.txt

Arg Arg Xaa Cys Tyr Arg Xaa Pro Tyr Xaa Cys Arg
1 5 10

<210> 2
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Template-fixed peptidomimetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = 2-Nal

<220>
<221> DISULFID
<222> (4)..(11)

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa = D-Lys

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa = Cit

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 2

Arg Arg Xaa Cys Tyr Lys Xaa Pro Tyr Xaa Cys Arg
1 5 10

<210> 3
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Template-fixed peptidomimetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = 2-Nal

<220>
<221> DISULFID
<222> (4)..(11)

<220>
<221> MISC_FEATURE

753-54_PCT-US_Sequence_Listing_ST25.txt

<222> (7)..(7)
<223> Xaa = D-Lys

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa = Cit

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 3

Arg Arg Xaa Cys Tyr Lys Xaa Pro Arg Xaa Cys Arg
1 5 10

<210> 4
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Template-fixed peptidomimetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = 2-Nal

<220>
<221> DISULFID
<222> (4)..(11)

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa = D-Pro

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 4

Arg Arg Xaa Cys Tyr Lys Xaa Pro Tyr Arg Cys Arg
1 5 10

<210> 5
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Template-fixed peptidomimetic

<220>

753-54_PCT-US_Sequence_Listing_ST25.txt

<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = 2-Nal

<220>
<221> DISULFID
<222> (4)..(11)

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa = D-Pro

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 5

Arg Arg Xaa Cys Tyr Arg Xaa Pro Tyr Arg Cys Arg
1 5 10

<210> 6
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Template-fixed peptidomimetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = 2-Nal

<220>
<221> DISULFID
<222> (4)..(11)

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa = Cit

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 6

Arg Arg Xaa Cys Tyr Arg Lys Pro Tyr Xaa Cys Arg
1 5 10

<210> 7
<211> 14
<212> PRT
<213> Artificial Sequence

753-54_PCT-US_Sequence_Listing_ST25.txt

<220>
<223> Template-fixed peptidomimetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = 2-Nal

<220>
<221> DISULFID
<222> (4)..(13)

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = Cit

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa = D-Pro

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa = Cit

<220>
<221> MOD_RES
<222> (14)..(14)
<223> AMIDATION

<400> 7

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 8
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Template-fixed peptidomimetic

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = 2-Nal

<220>
<221> DISULFID
<222> (4)..(13)

<220>

753-54_PCT-US_Sequence_Listing_ST25.txt

<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = Cit

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa = D-Pro

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa = Cit

<220>
<221> MOD_RES
<222> (14)..(14)
<223> AMIDATION

<400> 8

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 9
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Template-fixed peptidomimetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = iPrArg

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = 2-Nal

<220>
<221> DISULFID
<222> (4)..(13)

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = Cit

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa = D-Pro

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa = Cit

753-54_PCT-US_Sequence_Listing_ST25.txt

<220>
 <221> MOD_RES
 <222> (14)..(14)
 <223> AMIDATION
 <400> 9
 Xaa Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
 1 5 10

<210> 10
 <211> 14
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Template-fixed peptidomimetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa = D-Arg

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa = 2-Nal

<220>
 <221> DISULFID
 <222> (4)..(13)

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa = Cit

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa = D-Pro

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa = Cit

<220>
 <221> MOD_RES
 <222> (14)..(14)
 <223> AMIDATION

<400> 10
 Xaa Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
 1 5 10

<210> 11
 <211> 14
 <212> PRT

<213> Artificial Sequence

<220>

<223> Template-fixed peptidomimetic

<220>

<221> DISULFID

<222> (4)..(13)

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa = Cit

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa = D-Pro

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa = Cit

<220>

<221> MOD_RES

<222> (14)..(14)

<223> AMIDATION

<400> 11

Arg Arg Trp Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 12

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Template-fixed peptidomimetic

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa = F(pNH2)

<220>

<221> DISULFID

<222> (4)..(13)

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa = Cit

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa = D-Pro

753-54_PCT-US_Sequence_Listing_ST25.txt

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa = Cit

<220>
 <221> MOD_RES
 <222> (14)..(14)
 <223> AMIDATION

<400> 12

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
 1 5 10

<210> 13
 <211> 14
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Template-fixed peptidomimetic

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa = W(6-C1)

<220>
 <221> DISULFID
 <222> (4)..(13)

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa = Cit

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa = D-Pro

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa = Cit

<220>
 <221> MOD_RES
 <222> (14)..(14)
 <223> AMIDATION

<400> 13

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
 1 5 10

<210> 14
 <211> 14

<212> PRT
 <213> Artificial Sequence

<220>
 <223> Template-fixed peptidomimetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa = (EA)G

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa = 2-Nal

<220>
 <221> DISULFID
 <222> (4)..(13)

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa = Cit

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa = D-Pro

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa = Cit

<220>
 <221> MOD_RES
 <222> (14)..(14)
 <223> AMIDATION

<400> 14

Xaa Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
 1 5 10

<210> 15
 <211> 14
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Template-fixed peptidomimetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> xaa = (PrA)G

<220>
 <221> MISC_FEATURE

753-54_PCT-US_Sequence_Listing_ST25.txt

<222> (3)..(3)
<223> Xaa = 2-Nal

<220>
<221> DISULFID
<222> (4)..(13)

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = Cit

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa = D-Pro

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa = Cit

<220>
<221> MOD_RES
<222> (14)..(14)
<223> AMIDATION

<400> 15

| | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Xaa | Arg | Xaa | Cys | Tyr | Xaa | Lys | Xaa | Pro | Tyr | Arg | Xaa | Cys | Arg |
| 1 | | | | 5 | | | | | 10 | | | | |

<210> 16
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Template-fixed peptidomimetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = (BA)G

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = 2-Nal

<220>
<221> DISULFID
<222> (4)..(13)

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = Cit

<220>
<221> MISC_FEATURE

753-54_PCT-US_Sequence_Listing_ST25.txt

<222> (8)..(8)
<223> Xaa = D-Pro

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa = Cit

<220>
<221> MOD_RES
<222> (14)..(14)
<223> AMIDATION

<400> 16

Xaa Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 17
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Template-fixed peptidomimetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = (EGU)G

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = 2-Nal

<220>
<221> DISULFID
<222> (4)..(13)

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = Cit

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa = D-Pro

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa = Cit

<220>
<221> MOD_RES
<222> (14)..(14)
<223> AMIDATION

<400> 17

753-54_PCT-US_Sequence_Listing_ST25.txt

Xaa Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 18
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Template-fixed peptidomimetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = (PrGU)G

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = 2-Nal

<220>
<221> DISULFID
<222> (4)..(13)

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = Cit

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa = D-Pro

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa = Cit

<220>
<221> MOD_RES
<222> (14)..(14)
<223> AMIDATION

<400> 18

Xaa Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 19
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Template-fixed peptidomimetic

753-54_PCT-US_Sequence_Listing_ST25.txt

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa = (BGU)G

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa = 2-Nal

<220>
 <221> DISULFID
 <222> (4)..(13)

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa = Cit

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa = D-Pro

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa = Cit

<220>
 <221> MOD_RES
 <222> (14)..(14)
 <223> AMIDATION

<400> 19

Xaa Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
 1 5 10

<210> 20
 <211> 14
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Template-fixed peptidomimetic

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa = 2-Nal

<220>
 <221> DISULFID
 <222> (4)..(13)

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa = Cit

753-54_PCT-US_Sequence_Listing_ST25.txt

```

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa = D-Pro

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa = Cit

<400> 20
Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1          5          10

<210> 21
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Template-fixed peptidomimetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = 2-Nal

<220>
<221> DISULFID
<222> (4)..(13)

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = Cit

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa =
(2S,6S,9S)-6-Amino-2-carboxymethyl-3,8-diazabicyclo-[4,3,0]-nonan
e-1,4-dione

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa = Cit

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 21
Arg Arg Xaa Cys Tyr Xaa Lys Xaa Tyr Arg Xaa Cys Arg
1          5          10

<210> 22

```

753-54_PCT-US_Sequence_Listing_ST25.txt

```

<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Template-fixed peptidomimetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = 2-Nal

<220>
<221> DISULFID
<222> (4)..(13)

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = Cit

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa = AMPA

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa = Cit

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<400> 22
Arg Arg Xaa Cys Tyr Xaa Lys Xaa Tyr Arg Xaa Cys Arg
1          5          10

```

```

<210> 23
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Template-fixed peptidomimetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = 2-Nal

<220>
<221> DISULFID
<222> (4)..(13)

<220>
<221> MISC_FEATURE

```


753-54_PCT-US_Sequence_Listing_ST25.txt

<222> (6)..(6)
<223> Xaa = Cit

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa = D-Pro

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa = Cit

<220>
<221> MOD_RES
<222> (14)..(14)
<223> AMIDATION

<400> 23

Arg Arg Xaa Cys Tyr Xaa Lys Pro Xaa Tyr Arg Xaa Cys Arg
1 5 10

<210> 24
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Template-fixed peptidomimetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = 2-Nal

<220>
<221> DISULFID
<222> (4)..(13)

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = Cit

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa = Cit

<220>
<221> MOD_RES
<222> (14)..(14)
<223> AMIDATION

<400> 24

Arg Arg Xaa Cys Tyr Xaa Lys Pro Pro Tyr Arg Xaa Cys Arg
1 5 10

753-54_PCT-US_Sequence_Listing_ST25.txt

<210> 25
 <211> 14
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223> Template-fixed peptidomimetic

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa = 2-Nal

<220>
 <221> DISULFID
 <222> (4)..(13)

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa = Cit

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa = D-Pic

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa = Cit

<220>
 <221> MOD_RES
 <222> (14)..(14)
 <223> AMIDATION

<400> 25

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
 1 5 10